



Dose of Protection for Pregnant Women



Please continue following COVID Appropriate Behaviour Wear your mask properly Image: Wear your mask properly

For more information, visit https://www.cowin.gov.in/faq

#LargestVaccineDrive #Unite2FightCorona







Symptomatic pregnant women are at an increased risk of severe diseases and it might affect the foetus too. Hence, the COVID-19 vaccine is recommended for pregnant women.



Who are at higher risk of getting infected with COVID-19?

- Someone who is a Healthcare Worker or a Front-line Worker.
- Community having a high or increasing rate of COVID-19 infections.
 - Frequently exposed to people outside the household.
- Difficulty in complying with social distancing if living in a crowded household.

COVID-19 vaccination is safe for both the pregnant women and her child

Please continue following COVID Appropriate Behaviour





Maintain physical distancing

^{6 feet}



Wash hands frequently and thoroughly with soap and water

For more information, visit https://www.cowin.gov.in/faq

#LargestVaccineDrive #Unite2FightCorona







COVID-19 Vaccination During Pregnancy

01

All individuals above 18 years of age including pregnant women are now eligible for COVID-19 vaccination.

Symptomatic pregnant women are at an increased risk of severe diseases and it might affect the foetus too. Hence, the COVID-19 vaccine is recommended for pregnant women.

03

Pregnant women at increased risk of COVID-19 complications include:

- Older than 35 years of age
- Obese women
- Have an underlying medical condition such as diabetes or high blood pressure
- Have a history of clotting in the limbs



COVID-19 increases the risk of:

- Pre-mature delivery
- Baby's weight might be less than 2.5 KG
- In rare situations, the baby might die before birth



COVID-19 vaccine can be taken anytime during the pregnancy and it should be taken at the earliest.



In case a woman has been infected with COVID-19 infection during the current pregnancy, then she should be vaccinated soon after the delivery.



COVID-19 vaccine is safe in pregnancy. Minor side effects like mild fever, pain at the injection site or feeling unwell for 1-3 days can occur.



The long-term adverse effects and safety of the vaccine for foetus and child is not established yet.

If you get any of the following symptoms after COVID-19 vaccination, please refer to a health care facility

Shortness of breath, chest pain, pinhead size red spots or bruising of skin in an

area beyond the injection site, severe or persistent headache, persistent abdominal pain with or without vomiting, or fits, or blurred vision.



For more information, visit https://www.cowin.gov.in/faq

#LargestVaccineDrive #Unite2FightCorona

